----- POPULATION ESTIMATES ------ CANCER INCIDENCE ------ LOCAL PUBLIC HEALTH ------

	POPULATIO	N ESTIMATES	S	CANCER INC	IDENCE		LOCAL PUBLIC H	EALTH	
I						1			Per
Total 1	.999 Popula	tion Eat	30 330	(Cancer incidence	ia for	1000)	Activities Reported	Numbor	
10tai i	.999 Popula	CIOII ESC	39,330	(Cancer Incluence	IS IOI	1990)	Activities Reported	ишшет	10,000
Perce	nt Female		49.8			Ļ			ļ
				Primary Site		Number	Public Health Nursing		
Populat	ion per squ	uare mile	44				Total clients	303	77 [
Rank	in state		36	Breast		21	Total clients Total visits	1.167	297
	ighest pop	ulation dor		Breast Cervical Colorectal		12	Visits: Reason for	1,10,	2,,
				Cervicai			Gen hlth promotion	2.6	_
/2=1	owest popu	iation dens	sity.)	Colorectal		29	Gen nith promotion	36	9
				Trachea, Bronchus, I	Lung	25	Infant/child hlth		
Age	Female	Male	Total	Prostate Other sites Total		31	Infectious & parasitic	1	0
0-14	4,310	4,600	8,910	Other sites		78 Ì	Circulatory Prenatal Postpartum	6	2
15-19	1,580	1,650 1,240	3,220 2,420 2,110	Total		196	Prenatal	47	12
20-24	1,180	1 240	2,420	10041		170	Dogtmontum	96	22
	1,100	1,240	2,420	TOMO FEDIA	G. D. D.	}	Postpartuiii	00	22
25-29	1,060	1,050	2,110	LONG-TERM	CARE	,			
30-34		1,130	2,110				WIC Participants	1,540	392
35-39	1,520	1,600	3,110 3,100	Community Options and	d MA Wa:	iver			
40-44	1,530	1,570	3.100	Drograms		- 1	Clinic Visits	7,865	2.003
45-54		2,710	5,250	# Clier	nte	Costs	Immunization	5,917	
		2,710	3,430	# CI161	- 4	†1.40 COO	Discolor and the second	J, J I /	
55-64	1,660	1,770	3,420	COP	54	\$142,608	Blood pressure	854	218
65-74	1,410	1,340	2,750	MA Waivers *		Ĺ			Į.
75-84	1,180	900	3,420 2,750 2,080	CIP1A	8	\$567,573	Environmental Contacts		
85+	470	900 210	680	CIP1B 6	67 \$1	1,845,415	Env hazards	1	
Total	19.580	19,750	39,330	CTP2 1	13 .	\$340.083	Public health nuisance	2	1
10001	27,000		52,550	# Clien COP 5 MA Waivers * CIP1A CIP1B 6 CIP2 1 COP-W 3	39	\$281 305		_	-
3	T1-	36-1-	m-+-1	COI W		φ <u>2</u> 01,303			ļ
Age	Female	maie	Total	CSLA Brain Inj Total COP/Wvrs 14	•	\$0			l
	5,250		10,820	Brain Inj	3	\$132,534			
	7,080	7,270	14,330	Total COP/Wvrs 14	47 \$3	3,309,518			
	4,200	4,480	14,330 8,670						
65+	3,060	2,450	5,510	\$137,571 of the ab	bove Wa:	iver costs	Health Education		ì
Total	19,580	19,750	39,330	were paid as local	match/d	overmatch ľ	Community sessions	233	59
			,	using COP funds. 7			Community attendance	4 220	1 075
/ Dozzonstv	a+:ma+aa	for 100F		not included in abo			Cabool accertaince	7,220	1,075
	estimates			not included in abo	ove cop	costs.	School sessions School attendance	20	10
	d in the 1					ļ	School attendance	38	Τ0
	statistic		updated	* Waiver costs report					
after t	he 2000 Ce	nsus.)		include federal fur	nding.	Ì	Staffing - FTEs		)
					_	ĺ	Total staff	8	2.0
i	EMPL	OVMENT				i	Total staff Administrators Public health nurses	1	0 3
	wage for j			Nome Wealth Aconding		1	Dublic health nurges	2	0.5
				Home Health Agencies Patients		146	rubiic health mid-	3	0.0
	loyment Co						Public Health aldes	•	•
	erage wage			Patients per 10,000	pop.	37	Environmental specialist	cs .	
of	work, not	place of r	residence.						
				Nursing Homes Licensed beds Occupancy rate Residents on 12/31/9		5 Ì			
Labor Fo	rce Estima	tes Annua	al Average	Licensed beds		374 İ	LOCAL PUBLIC HEALS	TONUT HT	ng İ
	n labor for			Occupancy rate		90 62	(funding data not a		
Numba	ar amplement		10 /21	Dogidonta on 12/21/0	20	25.0%	(Idiality data life of	.varrabt	~ <i> </i>
Numbe	r embrožea	-	10,431	Residents On 12/31/9	70	354			
Numbe	r_unemploy	ed	745	Residents aged 65 or	r older				
Unem	ployment r	ate	3.9%	Residents on 12/31/9 Residents aged 65 or per 1,000 populati	ion	59			

		510	Birth Order	Births	Percent	Marital	Status		
			First	185	36	of Moth	-	Births	Percent
Crude Live Birth Rate	<u> </u>	13.0	Second	155	30	Married		366	72
General Fertility Rat	e	63.6	Third	85	17	Not mar	ried	144	28
-			Fourth or higher	85	17	Unknown		0	0
Live births with repo	rted		Unknown	0	0				
congenital anomalies		5 . %				Educati	on		
3			First Prenatal			of Moth	er	Births	Percent
Delivery Type	Births	Percent	Visit	Births	Percent	Element	ary or less	72	14
Vaginal after			1st trimester	375	74	Some hi	gh school	58	11
previous cesarean	17	3	2nd trimester	72	14	High sc		185	36
Forceps	3	1	3rd trimester	36	7	Some co		113	22
Other vaginal	416	82	No visits	27	5		graduate	82	16
Primary cesarean	48	9	Unknown	0	0	Unknown		0	0
Repeat cesarean	26	5		O	Ŭ	SILLIOWII		J	Ü
Other or unknown	0	0	Number of Prenata	1		Smoking	Status		
CITCL OF WILLIOWIT	0	J	Care visits	Births	Percent	of Moth		Births	Percent
Birth Weight	Births	Percent	No visits	27	5	Smoker		122	24
<1,500 gm	6	1.2	1-4 visits	46	9	Nonsmok	⊃r	388	76
1,500-2,499 gm	27	5.3	5-9 visits	83	16	Unknown		0	0
2,500+ gm	477	93.5	10-12 visits	170	33	OILLIOWII		Ü	Ü
Jnknown	0	0.0	13+ visits	183	36				
Sindiowii	O	0.0	Unknown	103	<.5				
					_				
	Total B		Low Birth Weight (under 2,500 gm)		imester	2nd Tr	st Prenatal imester	Other	/Unknown
	Births P	ercent	(under 2,500 gm) Births Percent	Births	imester Percent	2nd Tr Births	imester Percent	Other, Births	Percent
White	Births P	Percent 98	(under 2,500 gm)		imester	2nd Tr	imester	Other	
White Black	Births P 500 0	ercent 98 0	(under 2,500 gm) Births Percent	Births 370	imester Percent 74 .	2nd Tr Births 68	imester Percent 14	Other, Births 62	Percent 12
White Black Other	Births P 500 0 10	98 0 2	(under 2,500 gm) Births Percent	Births	imester Percent	2nd Tr Births	imester Percent	Other, Births	Percent
White Black Other	Births P 500 0	ercent 98 0	(under 2,500 gm) Births Percent	Births 370	imester Percent 74 .	2nd Tr Births 68	imester Percent 14	Other, Births 62	Percent 12
White Black Other	Births P 500 0 10	98 0 2	(under 2,500 gm) Births Percent  33 6.6	Births 370 5	imester Percent 74 . 50	2nd Tr Births 68 4	imester Percent 14 . 40	Other, Births 62	Percent 12
White Black Other	Births P 500 0 10 0	98 0 2 0	(under 2,500 gm)  Births Percent  33 6.6   Low Birth Weight	Births 370 5	imester Percent 74 . 50 . Trimest	2nd Tr Births 68 4	imester Percent  14 . 40 . st Prenatal	Other, Births 62 . 1 . Visit	12
White Black Other Jnknown	Births P 500 0 10 0	98 0 2 0	(under 2,500 gm)  Births Percent  33 6.6   Low Birth Weight (under 2,500 gm)	Births 370	imester Percent 74 . 50 . Trimest	2nd Tr Births 68 4 er of Fir 2nd Tr	imester Percent  14 . 40 . st Prenatal	Other/Births 62 . 1 . Visit Other/	Percent 12 . 10 . 'Unknown
White Black Other Unknown <b>Age of Mother</b>	Births P 500 0 10 0 Fe Births	98 0 2 0	(under 2,500 gm)  Births Percent  33 6.6   Low Birth Weight	Births 370 . 5 . 1st Tr Births	imester Percent 74 . 50 . Trimest	2nd Tr Births 68 4 er of Fir 2nd Tr	imester Percent  14 . 40 . st Prenatal	Other/Births 62 . 1 . Visit Other/	Percent 12 . 10 . 'Unknown
White Black Other Jnknown Age of Mother <15	Births P 500 0 10 0 Fe Births	98 0 2 0	(under 2,500 gm)  Births Percent  33 6.6   Low Birth Weight (under 2,500 gm)	Births 370	imester Percent 74 . 50 . Trimest imester Percent	2nd Tr Births 68 . 4 . er of Fir 2nd Tr Births	imester Percent  14 . 40 . st Prenatal imester Percent	Other/Births 62 Visit Other/Births	Percent 12 . 10 . 'Unknown Percent
White Black Other Jnknown Age of Mother <15 15-17	Births P 500 0 10 0 Fe Births 0 18	ercent 98 0 2 0 ertility Rate	(under 2,500 gm)  Births Percent  33 6.6   Low Birth Weight (under 2,500 gm)	Births 370	imester Percent 74 . 50 . Trimest imester Percent . 61	2nd Tr Births 68 4 - er of Fir 2nd Tr Births 4	imester Percent  14 . 40 . st Prenatal imester Percent . 22	Other/Births 62 1 . Visit Other/Births . 3	Percent 12 . 10 . /Unknown Percent . 17
White Black Other Jnknown Age of Mother <15 15-17 18-19	Births P 500 0 10 0 Fe Births 0 18 35	ercent 98 0 2 0 ertility Rate 55	(under 2,500 gm)  Births Percent  33 6.6   Low Birth Weight (under 2,500 gm) Births Percent	Births	imester Percent 74 . 50 . Trimest imester Percent . 61 74	2nd Tr Births 68 4 - er of Fir 2nd Tr Births 4 7	imester Percent  14 . 40 . st Prenatal imester Percent . 22 20	Other/Births 62 1 . Visit Other/Births . 3 2	Percent  12
White Black Other Jnknown Age of Mother <15 15-17 18-19 20-24	Births P 500 0 10 0 Fe Births 0 18 35 141	98 0 2 0 ertility Rate  55 120	(under 2,500 gm)  Births Percent  33 6.6	Births	rimester Percent 74 . 50 . Trimest imester Percent . 61 . 74 . 72	2nd Tr Births 68 . 4 . er of Fir 2nd Tr Births . 4 . 7 21	imester Percent  14 . 40 . st Prenatal imester Percent . 22 20 15	Other/Births 62 1 . Visit Other/Births . 3 2 19	Percent  12
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29	Births P 500 0 10 0 Fe Births 0 18 35 141 161	Percent  98  0  2  0  Pertility Rate   .  55  120  152	(under 2,500 gm)  Births Percent  33 6.6   Low Birth Weight (under 2,500 gm)  Births Percent   12 8.5 7 4.3	Births 370	imester Percent 74 . 50 . Trimest imester Percent . 61 . 74 . 72 . 79	2nd Tr Births 68 . 4 . er of Fir 2nd Tr Births . 4 . 7 . 21 . 19	imester Percent  14 . 40 . st Prenatal imester Percent . 22 20 15 12	Other/Births 62 1 . Visit Other/Births . 3 2 19 15	Percent   12
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34	### Births P	98 0 2 0 ertility Rate  55 120 152 95	(under 2,500 gm)  Births Percent  33 6.6    Low Birth Weight (under 2,500 gm)  Births Percent    12 8.5  7 4.3  8 7.3	Births 370	imester Percent 74 . 50 . Trimest imester Percent . 61 . 74 . 72 . 79 . 70	2nd Tr Births 68 . 4 . er of Fir 2nd Tr Births . 4 . 7 . 21 . 19 . 16	imester Percent  14 . 40 . st Prenatal imester Percent . 22 20 15 12 15	Other/Births  62 Visit Other/Births . 3 . 2 . 19 . 15 . 17	Percent   12
15-17 18-19 20-24 25-29 30-34 35-39	### Births P	98 0 2 0 ertility Rate 	(under 2,500 gm)  Births Percent  33 6.6   Low Birth Weight (under 2,500 gm)  Births Percent   12 8.5 7 4.3	Births 370	imester Percent 74 . 50 . Trimest imester Percent . 61 . 74 . 72 . 79 . 70 . 74	2nd Tr Births 68 . 4 . er of Fir 2nd Tr Births . 4 . 7 . 21 . 19 . 16 . 4	imester Percent  14 . 40 . st Prenatal imester Percent  . 22 20 15 12 15 12	Other/Births 62 . 1 . Visit Other/Births . 3 2 19 15 17 5	Percent   12
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	### Births P	98 0 2 0 ertility Rate  55 120 152 95 22	(under 2,500 gm)  Births Percent  33 6.6    Low Birth Weight (under 2,500 gm)  Births Percent    12 8.5  7 4.3  8 7.3	Births 370	imester Percent 74 . 50 . Trimest imester Percent . 61 . 74 . 72 . 79 . 70	2nd Tr Births 68 . 4 . er of Fir 2nd Tr Births . 4 . 7 . 21 . 19 . 16 . 4 . 1	imester Percent  14 . 40 . st Prenatal imester Percent . 22 20 15 12 15	Other/Births 62 . 1 . Visit Other/Births . 3 2 19 15 17 5 2	Percent   12
White Black Other Unknown  Age of Mother  <15 15-17 18-19 20-24 25-29 30-34 35-39	### Births P	98 0 2 0 ertility Rate 	(under 2,500 gm)  Births Percent  33 6.6    Low Birth Weight (under 2,500 gm)  Births Percent    12 8.5  7 4.3  8 7.3	Births 370	imester Percent 74 . 50 . Trimest imester Percent . 61 . 74 . 72 . 79 . 70 . 74	2nd Tr Births 68 . 4 . er of Fir 2nd Tr Births . 4 . 7 . 21 . 19 . 16 . 4	imester Percent  14 . 40 . st Prenatal imester Percent  . 22 20 15 12 15 12	Other/Births 62 . 1 . Visit Other/Births . 3 2 19 15 17 5	Percent   12

REPORTED*	CASES	OF	SELECTED	DISEASES
	CHOHO	OT.		DISTORDED

Disease	Number
Campylobacter Enteritis	14
Giardiasis	6
Hepatitis Type A	0
Hepatitis Type B**	0
Hepatitis NANB/C***	
Legionnaire's	<5
Lyme	15
Measles	0
Meningitis, Aseptic	<5
Meningitis, Bacterial	0
Mumps	<5
Pertussis	0
Salmonellosis	<5
Shigellosis	0
Tuberculosis	0

- \* 1999 provisional data
- \*\* Includes all positive HBsAg test results
- \*\*\* Unavailable at time of printing

#### Sexually Transmitted Disease

Chlamydia Trachomatis	29
Genital Herpes	8
Gonorrhea	<5
Nongonococcal Cervicitis	0
Nongonococcal Urethritis	0
Syphilis	•

#### ----- IMMUNIZATIONS -----

# Children in Grades K-12 by Compliance Level

Compliant	7,825
Non-compliant	100
Percent Compliant	98.7

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

# TOTAL DEATHS 391 Crude Death Rate 994

Age	Deaths	Rate
1-4		•
5-14		
15-19	2	
20-34	7	
35-54	23	201
55-64	36	1,053
65-74	84	3,046
75-84	130	6,261
85+	106	15,587

#### Infant

Mortality	Deaths	Rate
Total Infant	3	
Neonatal	2	
Postneonatal	1	
Unknown		

## Race of Mother White

### Birth Weight

<1,500 gm	1	
1,500-2,499 gm		
2,500+ gm	2	
Unknown		

## Perinatal

Mortality	Deaths	Rate
Total Perinatal	6	•
Neonatal	2	
Fetal	4	

#### Selected

Underlying Cause	Deaths	Rate
Heart Disease (total)	119	303
Ischemic heart disease		
Cancer (total)	72	183
Trachea/Bronchus/Lung		
Colorectal	4	
Female Breast	3	. 7
Cerebrovascular Disease	33	84
Lower Resp. Disease		
Pneumonia & Influenza	17	
Injuries	19	
Motor vehicle	9	
Diabetes	5	
Infectious & Parasitic	2	
Suicide	8	

\* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol	6	
Other Drugs	10	
Both Mentioned		

----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

Type of Motor Vehicle Crash	Persons Injured	
Total Crashes	532	9
Alcohol-Related	53	2
With Citation:		
For OWI	54	0
For Speeding	40	0
Motorcyclist	15	1
Bicyclist	6	1
Pedestrian	6	1

------ HOSPITALIZATIONS ------

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita	DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
Turing Dalahai	1. 311					Nachal Dalata					
Injury-Related		0 0	1 1	ė10 110	\$97	Alcohol-Relate	115	2.9	5.0	ბა 017	ė11
Total	315	8.0	4.4	\$12,119		Total	_			\$3,917	\$11
<18	34	3.1	3.5	\$9,970	\$31	18-44	77	5.4	4.5	\$2,972	\$16
18-44	82	5.7			\$84	45-64	26	3.0	5.2	\$4,911	\$15
45-64	70	8.1	3.9	\$11,350	\$92	Pneumonia and					
65+	129	23.4	4.5	\$11,459	\$268	Total	226	5.7	4.1	\$7,048	\$40
Injury: Hip						<18	40	3.7	4.5	\$6,889	\$25
Total	49	1.2	5.6	\$13,634	\$17	45-64	34	3.9	3.3	\$6,342	\$25
65+	46	8.3	5.6	\$14,014	\$117	65+	136	24.7	4.3	\$4	\$0
Injury: Pois	onings					Cerebrovascula	ar Disease				
Total	18				•	Total	99	2.5	3.9	\$8,348	\$21
18-44	5				•	45-64	22	2.5	3.3	\$8,855	\$22
						65+	75	13.6	3.9	\$7,416	\$101
Psychiatric						Chronic Obstru	ctive Pulm	onary I	Disease	, ,	•
Total	250	6.4	8.5	\$7,000	\$44	   Total	109	2.8	3.2	\$5,715	\$16
<18	58	5.4	6.4	\$4,278	\$23	<18	11			•	
18-44	110	7.7	6.0	\$5,013	\$38	18-44	13			•	
45-64	47	5.4	10.4	\$8,452	\$46	45-64	28	3.2	3.4	\$5,641	\$18
65+	35	6.3	17.0	\$15,804	\$100	65+	57	10.3	3.4	\$6,369	\$66
05+ 55	0.5	17.0	\$13,00 <del>1</del>	\$100	Drug-Related	57	10.5	3.1	Ş0,30 <i>3</i>	ŞOO	
Comonomii IIoomb	Diacoso					, -	12				
Coronary Heart		6 5	2 0	A17 011	4116	Total		•	•	•	•
Total	257	6.5	3.9	\$17,811	\$116	18-44	6	•	•	•	•
45-64	104	12.0		\$17,895	\$215						
65+	140	25.4	4.3	\$18,429	\$468	Total Hospital					
	_					Total	4,354	110.7	3.8	\$7,991	\$885
Malignant Neop						<18	805	74.4	3.1	\$4,303	\$320
Total	138	3.5	5.7	\$13,338	\$47	18-44	1,153	80.4	3.1	\$5,762	\$463
18-44	15		•	•	•	45-64	827	95.5	4.0		\$1,005
45-64	49	5.7	5.3	\$12,765	\$72	65+	1,569	284.6	4.4	\$10,185	\$2,898
65+	72	13.1	6.5	\$14,447	\$189						
Neoplasms: F	emale Bre	ast (ra		female po	pulation)	`  I	PREVENTABLE	HOSPI	CALIZATIO	ONS*	
Total	21	1.1	2.1	\$7,800	\$8	Total	627	15.9	3.6	\$6,397	\$102
Neoplasms: C	olo-recta	1				<18	60	5.5	2.8	\$5,335	\$30
Total	23	0.6	7.7	\$16,329	\$10	18-44	78	5.4	2.3	\$4,154	\$23
65+	13			, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	•	45-64	115	13.3	3.4	\$6,434	\$85
Neoplasms: L		•	•	•	•	65+	374	67.8	4.0	\$7,024	\$476
Total	12					* Hospitalization					
10041	12	•	•	•	•	ambulatory care					
Diabetes											
Total	34	0.9	4.8	\$9,314	\$8	The definition of preventable hospitalizations in 1999 is consistent with the 1997 definition.					
65+	16	0.9	4.0	γ2,3± <del>1</del>							
05+	Τρ	•	•	•	•	Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.					